Volume 193 1990

Table of contents

No. 1 1–302 issued on October 5, 1990
No. 2 303–598 issued on October 24, 1990
No. 3 599–932 issued on November 13, 1990

Information for Authors 927–932

Reviews

myo-Inositol metabolites as cellular signals
C. P. Downes and C. H. Macphee 1– 18

Structural and functional aspects of calcium homeostasis in eukaryotic cells
D. Pietrobon, F. Di Virgilio and T. Pozzan 599–622

Nucleic acids, protein synthesis and molecular genetics

Coamplification of μ class glutathione S-transferase genes and an adenylate deaminase gene in coformycin-resistant Chinese hamster fibroblasts
B. Robert de Saint Vincent, O. Hyrien, M. Debatisse and G. Buttin 19– 24

The tissue-specific expression of the thyroglobulin gene requires interaction between thyroid-specific and ubiquitous factors
A. J. Sinclair, R. Lonigro, D. Civitareale, L. Ghibelli and R. Di Lauro 311–318

Expression of three plant glutamine synthetase cDNA in *Escherichia coli* – Formation of catalytically active isoenzymes, and complementation of a *glnA* mutant
M. Bennett and J. Cullimore 319–324

Export and purification of a cytoplasmic dimeric protein by fusion to the maltose-binding protein of *Escherichia coli*
A. Blondel and H. Bedouelle 325–330

Primary structure of rat hepatocyte growth factor and induction of its mRNA during liver regeneration following hepatic injury
A. Okajima, K. Miyazawa and N. Kitamura 375–381

Effect of the tyrosine 96 hydrogen bond on the inactivation of cytochrome *P*-450$_{cam}$ induced by hydrostatic pressure
C. Di Primo, G. Hui Bon Hoa, P. Douzou and S. Sligar 383–386

Overexpression in *Escherichia coli* of a methionine-free designed interleukin-2 receptor (Tac protein) based on a chemically cleavable fusion protein
D. Hüsken, T. Beckers and J. W. Engels 387–394

Sequence of subunit c of the sodium ion translocating adenosine triphosphate synthase of *Propionigenium modestum*
W. Ludwig, G. Kaim, W. Laubinger, P. Dimroth, J. Hoppe and K. H. Schleifer 395–399

Dual effects of the ricin A chain on protein synthesis in rabbit reticulocyte lysate – Inhibition of initiation and translocation
R. W. Osborn and M. R. Hartley 401–407

Structural and functional characterization of human aromatase *P*-450 gene
K. Toda, M. Terashima, T. Kawamoto, H. Sumimoto, Y. Yokoyama, I. Kuribayashi, Y. Mitsuuchi, T. Maeda, Y. Yamamoto, Y. Sagara, H. Ikeda and Y. Shizuta 559–565

Structure of the snake short-chain neurotoxin, erabutoxin c, precursor gene
N. Fuse, T. Tsuchiya, Y. Nonomura, A. Menez and T. Tamiya 629–633

Translational control by the Epstein-Barr virus small RNA EBER-1 – Reversal of the double-stranded RNA-induced inhibition of protein synthesis in reticulocyte lysates
P. A. Clarke, N. A. Sharp and M. J. Clemens 635–641

Partial release of AcPhe-Phe-tRNA from ribosomes during poly(U)-dependent poly(Phe) synthesis and the effects of chloramphenicol
H.-J. Rheinberger and K. H. Nierhaus 643–650

Isolation and nucleotide sequence of cDNA clone for bovine pancreatic anionic trypsinogen – Structural identity within the trypsin family
I. Le Huerou, C. Wicker, P. Guilloteau, R. Toullec and A. Puigserver 767–773

Molecular cloning of cDNAs for two subunits of rat multicatalytic proteinase – Existence of *N*-terminal conserved and *C*-terminal diverged sequences among subunits
H. Sorimachi, T. Tsukahara, H. Kawasaki, S. Ishiura, Y. Emori, H. Sugita and K. Suzuki 775–781

Evidence for two types of complexes formed by yeast tyrosyl-tRNA synthetase with cognate and non-cognate tRNA – Effect of ribonucleoside triphosphates
I. Rubelj, I. Weygand-Đurašević and Ž. Kućan 783–788

Protein chemistry and structure

Molecular symmetry and arrangement of subunits in extracellular hemoglobin from *Caenestheria inopinata*
Y. Tsfadia, I. Shaked and E. Daniel 25– 29

Amino acid sequence and disulfide bridges of an antifungal protein isolated from *Aspergillus giganteus*
K. Nakaya, K. Omata, I. Okahashi, Y. Nakamura, H. Kolkenbrock and N. Ulbrich 31– 38

Characterization of an active, fluorescein-labelled kinesin
P. K. Marya, P. E. Fraylich and P. A. M. Eagles 39– 45

Rapid equilibrium between monomeric, dimeric and tetrameric forms of the 46-kDa mannose 6-phosphate receptor at 37°C – Possible relation to the function of the receptor
A. Waheed and K. von Figura 47–54

Protozoan myoglobin from *Paramecium caudatum* – Its autoxidation reaction and hemichrome formation
Y. Tsubamoto, A. Matsuoka, K. Yusa and K. Shikama 55–59

Conformation in solution of porcine brain natriuretic peptide determined by combined use of nuclear magnetic resonance and distance geometry
H. Inooka, T. Kikuchi, S. Endo, Y. Ishibashi, M. Wakimasu and E. Mizuta 127–134

Species-dependent binding of serum albumins to the streptococcal receptor protein G
P.-Å. Nygren, C. Ljungquist, H. Trømborg, K. Nustad and M. Uhlén 143–148

Hormone binding to natural mutants of human serum albumin
U. Kragh-Hansen, L. Minchiotti, S. O. Brennan and O. Sugita 169–174

Geometry of binding of the benzamidine- and arginine-based inhibitors N*-(2-naphthylsulphonyl-glycyl)-DL-*p*-amidinophenylalanyl-piperidine (NAPAP) and (2*R*,4*R*)-4-methyl-1-[*N**-(3-methyl-1,2,3,4-tetrahydro-8-quinolinesulphonyl)-L-arginyl]-2-piperidine carboxylic acid (MQPA) to human α-thrombin – X-ray crystallographic determination of the NAPAP-trypsin complex and modeling of NAPAP-thrombin and MQPA-thrombin
W. Bode, D. Turk and J. Stürzebecher 175–182

Two of the three genetic variants of goat α_{s1}-casein which are synthesized at a reduced level have an internal deletion possibly due to altered RNA splicing
G. Brignon, M.-F. Mahe, B. Ribadeau-Dumas, J.-C. Mercier and F. Grosclaude 237–241

Comparison of three classes of human liver alcohol dehydrogenase – Emphasis on different substrate binding pockets
H. Eklund, P. Müller-Wille, E. Horjales, O. Futer, B. Holmquist, B. L. Vallee, J.-O. Höög, R. Kaiser and H. Jörnvall 303–310

Bovine hemoglobin pseudo-crosslinked with mono(3,5-dibromosalicyl)-fumarate
C. Fronticelli, E. Bucci, A. Razynska, J. Sznajder, B. Urbaitis and Z. Gryczynski 331–336

Physicochemical studies of human O^6-methylguanine-DNA methyltransferase
D. Bhattacharyya, R. S. Foote, A. M. Boulden and S. Mitra 337–343

Secondary structure and dosage of soluble and membrane proteins by attenuated total reflection Fourier-transform infrared spectroscopy on hydrated films
E. Goormaghtigh, V. Cabiaux and J.-M. Ruysschaert 409–420

myo-Inositol oxygenase from rat kidneys – Substrate-dependent oligomerization
F. Koller and E. Koller 421–427

A novel testis-specific 105-kDa protein related to the 90-kDa heat-shock protein
H. Itoh and Y. Tashima 429–435

Analysis of the binding of glyceraldehyde-3-phosphate dehydrogenase to microtubules, the mechanism of bundle formation and the linkage effect
M. Somers, Y. Engelborghs and J. Baert 437–444

The role of an invariant tryptophan residue in α-bungarotoxin and cobrotoxin – Investigation of active derivatives with the invariant tryptophan replaced by kynurenine
C.-C. Chang, Y. Kawata, F. Sakiyama and K. Hayashi 567–572

Nuclear-magnetic-resonance investigations of the biliverdin–apomyoglobin complex
H. Marko, N. Müller and H. Falk 573–580

Characterization of a novel calcium-binding 90-kDa glycoprotein (BM-90) shared by basement membranes and serum
M. Kluge, K. Mann, M. Dziadek and R. Timpl 651–659

Structural study of gizzard caldesmon and its interaction with actin – Binding involves residues of actin also recognised by myosin subfragment 1
B. A. Levine, A. J. G. Moir, E. Audemard, D. Mornet, V. B. Patchell and S. V. Perry 687–696

Binding of ellipticine to β-lactoglobulin – A physico-chemical study of the specific interaction of an antitumor drug with a transport protein
G. Dodin, M. Andrieux and H. Al Kabbani 697–700

Patterns of histone acetylation
A. W. Thorne, D. Kmiciek, K. Mitchelson, P. Sautiere and C. Crane-Robinson 701–713

Two-dimensional NMR studies and secondary structure of cobrotoxin in aqueous solution
C. Yu, C.-S. Lee, L.-C. Chuang, Y.-R. Shei and C. Y. Wang 789–799

The collagen-binding site of type-II units of bovine seminal fluid protein PDC-109 and fibronectin
L. Bányai, M. Trexler, S. Koncz, M. Gyenes, G. Sipos and L. Patthy 801–806

Nuclear-magnetic-resonance studies of human epidermal growth factor
R. M. Cooke, M. J. Tappin, I. D. Campbell, D. Kohda, T. Miyake, T. Fuwa, T. Miyazawa and F. Inagaki 807–815

Purification and characterization of acyl carrier protein from two cyanobacteria species
J. E. Froehlich, R. Poorman, E. Reardon, S. R. Barnum and J. G. Jaworski 817–825

Radiolabel-transfer cross-linking demonstrates that protein 4.1 binds to the N-terminal region of β spectrin and to actin in binary interactions
P. S. Becker, M. A. Schwartz, J. S. Morrow and S. E. Lux 827–836

On the limited ability of superoxide to release iron from ferritin
B. J. Bolann and R. J. Ulvik 899–904

Isolation and characterization of two glycoproteins from hyaline cartilage
S. T. Anagnostides, A. J. Aletras, P. Lymberi and C. P. Tsiganos 905–912

Enzymology

Purification and characterization of an exo-1,4-β-galactanase from a strain of *Bacillus subtilis*
H. Nakano, S. Takenishi, S. Kitahata, H. Kinugasa and Y. Watanabe 61–67

A comparison of the effect of vanadate on the binding of myosin-subfragment-1 · ADP to actin and on actomyosin subfragment 1 ATPase activity
S. J. Smith and E. Eisenberg 69–73

Carbonyl reductases from rat testis and vas deferens — Purification, properties and localization
N. Iwata, N. Inazu, S. Takeo and T. Satoh 75–81

Kinetic analysis of the human erythrocyte glyoxalase system using ^{1}H NMR and a computer model
C. Rae, S. J. Berners-Price, B. T. Bulliman and P. W. Kuchel 83–90

Subcellular localisation of dihydrolipoamide dehydrogenase and detection of lipoic acid in bloodstream forms of *Trypanosoma brucei*
S. A. Jackman, D. W. Hough, M. J. Danson, K. J. Stevenson and F. R. Opperdoes 91–95

A glycoprotein inhibitor of pectin methylesterase in kiwi fruit (*Actinidia chinensis*)
C. Balestriere, D. Castaldo, A. Giovane, L. Quagliuolo and L. Servillo 183–187

Casein kinase II phosphorylates DNA-polymerase-α–DNA-primase without affecting its basic enzymic properties
V. Podust, G. Bialek, H. Sternbach and F. Grosse 189–193

Two glyceraldehyde-3-phosphate dehydrogenase isozymes from the koningic acid (heptelidic acid) producer *Trichoderma koningii*
K. Sakai, K. Hasumi and A. Endo 195–202

Purification and characterization of a cysteine proteinase from silkworm eggs
T. Kageyama and S. Y. Takahashi 203–210

Cooperative homotropic interaction of L-noradrenaline with the catalytic site of phenylalanine 4-monooxygenase
A. Martínez, J. Haavik and T. Flatmark 211–219

Linear dichroism studies of tryptophanase and its quasisubstrate complexes oriented in polyacrylamide gel
L. N. Zakomirdina, I. S. Sakharova and Y. M. Torchinsky 243–247

Lipases catalyse hydrolysis of fatty acid anhydrides
G. Pieroni and J.-D. Fourneron 249–253

Purification and properties of heterodisulfide reductase from *Methanobacterium thermoautotrophicum* (strain Marburg)
R. Hedderich, A. Berkessel and R. K. Thauer 255–261

Inhibition by aminoacyl-chloromethane protease inhibitors of superoxide anion production by phorbol-ester-stimulated human neutrophils — The labeled target is a membrane protein
E. C. Conseiller, D. Schott and F. Lederer 345–350

Interaction of acetyl-CoA fragments with rat liver acetyl-CoA carboxylase
A. G. Rabinkov, V. V. Velikodvorskaya, V. M. Kopelevich, E. A. Tolosa and V. I. Gunar 351–353

The role of myeloperoxidase in the oxidation of biologically active polyhydroxyphenols (substituted catechols)
D. Metodiewa and H. B. Dunford 445–448

Binding of a photoaffinity analogue of pyridoxal to pyridoxal kinase
G. Scholz, F. Kwok and J. E. Churchich 479–484

Yeast carbamoyl-phosphate-synthetase–aspartate-transcarbamylase multidomain protein is phosphorylated *in vitro* by cAMP-dependent protein kinase
M. Denis-Duphil, J.-P. Lecaer, D. G. Hardie and E. A. Carrey 581–587

Analysis of wheat-germ RNA polymerase II by trypsin cleavage — The integrity of the two largest subunits of the enzyme is not mandatory for basal transcriptional activity
M. Teissere, I. Sergi, C. Job and D. Job 913–919

Carbohydrates, lipids and other natural products

The three cysteine residues of cytoplasmic aspartyl-tRNA synthetase from *Saccharomyces cerevisiae* are not essential for its activity
D. Kern, H. Mejdoub, P. Vincendon, Y. Boulanger and J. Reinbolt 97–103

Evidence for a super-reduced cobamide as the major corrinoid fraction *in vivo* and a histidine residue as a cobalt ligand of the *p*-cresolyl cobamide in the acetogenic bacterium *Sporomusa ovata*
E. Stupperich, H. J. Eisinger and S. P. J. Albracht 105–109

Isolation and structure determination of the intact sialylated N-linked carbohydrate chains of recombinant human follitropin expressed in Chinese hamster ovary cells
K. Hård, A. Mekking, J. B. L. Damm, J. P. Kamerling, W. de Boer, R. A. Wijnands and J. F. G. Vliegenthart 263–271

Carbohydrate epitope structural elucidation by ^{1}H-NMR spectroscopy of a new *Mycobacterium kansasii* phenolic glycolipid antigen
M. Gilleron, A. Venisse, M. Rivière, P. Servin and G. Puzo 449–457

A study on the regulation of *N*-glycoloylneuraminic acid biosynthesis and utilization in rat and mouse liver
A. Lepers, L. Shaw, P. Schneckenburger, R. Cacan, A. Verbert and R. Schauer 715–723

Structural characterization of sialylated tetrasaccharides and pentasaccharides with blood group H and Le^x activity isolated from bovine submaxillary mucin
A. V. Savage, J. J. Donohue, C. A. M. Koeleman and D. H. van den Eijnden 837–843

Glycosylation of the envelope glycoprotein from a polytropic murine retrovirus in two different host cells
H. Geyer, R. Kempf, H.-H. Schott and R. Geyer 855–862

Physical and inorganic biochemistry

Ascorbyl free radical as a reliable indicator of free-radical-mediated myocardial ischemic and post-ischemic injury — A real-time continuous-flow ESR study
S. Pietri, M. Culcasi, L. Stella and P. J. Cozzone 845–854

Spectroscopic studies on the metal-ion-binding sites of Co^{2+}-substituted D-xylose isomerase from *Streptomyces rubiginosus*
C. Sudfeldt, A. Schäffer, J. H. R. Kägi, R. Bogumil, H.-P. Schulz, S. Wulff and H. Witzel 863–871

Membranes and bioenergetics

Ornithine/phosphate antiport in rat kidney mitochondria — Some characteristics of the process
S. Passarella, A. Atlante and E. Quagliariello 221–227

Blocking of Na^+/K^+ transport by the $MgPO_4$ complex analogue $Co(NH_3)_4PO_4$ leaves the Na^+/Na^+-exchange reaction of the sodium pump unaltered and shifts its high-affinity ATP-binding site to a Na^+-like form
E. Buxbaum and W. Schoner 355–360

Distribution of the early light-inducible protein in the thylakoids of developing pea chloroplasts
U. Cronshagen and F. Herzfeld 361–366

Blockage of a pump-related calcium-efflux pathway in light sarcoplasmic reticulum vesicles by Mops
S. Stephan, A. Migala and W. Hasselbach 535–539

Binding sites of a novel neuropeptide pituitary-adenylate-cyclase-activating polypeptide in the rat brain and lung
H.-C. Lam, K. Takahashi, M. A. Ghatei, S. M. Kanse, J. M. Polak and S. R. Bloom 725–729

Dicyclohexylcarbodiimide-binding proteins related to the short circuit of the proton-pumping activity of photosystem II — Identified as light-harvesting chlorophyll-*a*/*b*-binding proteins
P. Jahns and W. Junge 731–736

Modification of ATP regulatory function in sarcoplasmic reticulum Ca^{2+}-ATPase by hydrophobic molecules
H. Wolosker, J. H. Petretski and L. De Meis 873–877

A ΔpH clamp method for analysis of steady-state kinetics of photophosphorylation
H. Strotmann, R. Thelen, W. Müller and W. Baum 879–886

Reconstitution of CF_oF_1 into liposomes using a new reconstitution procedure
P. Richard, J.-L. Rigaud and P. Gräber 921–925

Metabolism and metabolic regulation

A multinuclear magnetic resonance study of a *cls11* mutant showing the Pet^- phenotype of *Saccharomyces cerevisiae*
J.-P. Galons, I. Tanida, Y. Ohya, Y. Anraku and Y. Arata 111–119

A natural-abundance ^{13}C-NMR study of *Dictyostelium discoideum* metabolism — Monitoring of the spore germination process
G. Klein, D. A. Cotter, J.-B. Martin and M. Satre 135–142

In vivo ^{13}C-NMR studies on the metabolism of the lugworm *Arenicola marina*
H.-P. Juretschke and G. Kamp 273–281

A ^{31}P-NMR study of bovine adrenocortical mitochondrial metabolic activities
A. Perrin, G. Defaye, C. Guidicelli, E. Chambaz, J.-P. Albrand and C. Roby 283–289

Inhibition of factor X and factor V activation by dermatan sulfate and a pentasaccharide with high affinity for antithrombin III in human plasma
F. A. Ofosu, J. Choay, N. Anvari, L. M. Smith and M. A. Blajchman 485–493

The inositol-phospholipid-accelerated activation of prekallikrein by activated factor XII at physiological ionic strength requires zinc ions and high-M_r kininogen
I. Schousboe 495–499

Degradation of insulin in isolated liver endosomes is functionally linked to ATP-dependent endosomal acidification
B. Desbuquois, M. Janicot and A. Dupuis 501–512

Vasopressin, insulin and peroxide(s) of vanadate (pervanadate) influence Na^+ transport mediated by (Na^+, K^+)ATPase or Na^+/H^+ exchanger of rat liver plasma membrane vesicles
J. Jakubowski and A. Jakob 541–549

Nuclear magnetic resonance studies of sodium/calcium exchange in frog perfused, beating hearts
D. Powell, D. Burstein and E. T. Fossel 887–889

Control of hepatic nitrogen metabolism and glutathione release by cell volume regulatory mechanisms
D. Häussinger, F. Lang, K. Bauers and W. Gerok 891–898

Signal transduction and molecular neurobiology

Secretin receptors in the neuroglioma hybrid cell line NG108-15 — Characterization and regulation of their expression
D. Gossen, M. Tastenoy, P. Robberecht and J. Christophe 149–154

Transmembrane signaling during erythropoietin- and dimethylsulfoxide-induced erythroid cell differentiation
S. Kuramochi, Y. Sugimoto, Y. Ikawa and K. Todokoro 163–168

Dissimilar effects of the protein kinase C inhibitors, staurosporine and H-7, on cholecystokinin-induced enzyme secretion from rabbit pancreatic acini
A. G. H. Ederveen, S. E. van Emst-De Vries, J. J. H. H. M. de Pont and P. H. G. M. Willems 291–295

Diabetes-induced changes in guanine-nucleotide-regulatory-protein mRNA detected using synthetic oligonucleotide probes
S. L. Griffiths, J. T. Knowler and M. D. Houslay 367–374

Subspecies of arrestin from bovine retina – Equal functional binding to photoexcited rhodopsin but various isoelectric focusing phenotypes in individuals
I. Weyand and H. Kühn† 459–467

Activation of a serine/threonine kinase that phosphorylates microtubule-associated protein 1B *in vitro* by growth factors and phorbol esters in quiescent rat fibroblastic cells
M. Hoshi, E. Nishida, M. Inagaki, Y. Gotoh and H. Sakai 513–519

Inositol phospholipid metabolism in human platelets stimulated by ADP
J. D. Vickers, R. L. Kinlough-Rathbone, M. A. Packham and J. F. Mustard 521–528

Vinculin is one of the major endogenous substrates for intrinsic tyrosine kinases in neuronal growth cones isolated from fetal rat brain
M. Igarashi, S. Saito and Y. Komiya 551–558

Microtubule-associated-protein (MAP) kinase activated by nerve growth factor and epidermal growth factor in PC12 cells – Identity with the mitogen-activated MAP kinase of fibroblastic cells
Y. Gotoh, E. Nishida, T. Yamashita, M. Hoshi, M. Kawakami and H. Sakai 661–669

Okadaic acid activates microtubule-associated protein kinase in quiescent fibroblastic cells
Y. Gotoh, E. Nishida and H. Sakai 671–674

The C-terminal part of the *CDC25* gene product plays a key role in signal transduction in the glucose-induced modulation of cAMP level in *Saccharomyces cerevisiae*
L. Van Aelst, E. Boy-Marcotte, J. H. Camonis, J. M. Thevelein and M. Jacquet 675–680

The primary structure of artemin from Artemia cysts
J. De Graaf, R. Amons and W. Möller 737–750

Tissue distribution and quantitation of the mRNAs for three rat tachykinin receptors
K. Tsuchida, R. Shigemoto, Y. Yokota and S. Nakanishi 751–757

Molecular cell biology

Heat-shock and related stress enhance RNA polymerase II C-terminal-domain kinase activity in HeLa cell extracts
V. Legagneux, M. Morange and O. Bensaude 121–126

Interferons and bone – A comparison of the effects of interferon-α and interferon-γ in cultures of human bone-derived cells and an osteosarcoma cell line
J. N. Beresford, G. T. Taylor and J. T. Triffitt 589–597

Myosin heavy chain isoform composition in striated muscle after denervation and self-reinnervation
A. Jakubiec-Puka, J. Kordowska, C. Catani and U. Carraro 623–628

Regulation of Ki-*ras* expression in Reuber H35 cells
S.-O. Chan, S. S.-C. Wong and D. C.-Y. Yeung 681–685

Binding and activation of plasminogen at the surface of *Staphylococcus aureus* – Increase in affinity after conversion to the Lys form of the ligand
P. Kuusela and O. Saksela 759–765

Developmental biochemistry and immunology

Muscle-specific response to thyroid hormone of myosin isoform transitions during rat postnatal development
A. d'Albis, C. Chanoine, C. Janmot, J.-C. Mira and R. Couteaux 155–161

Developmental regulation of metallothionein mRNA, zinc and copper levels in rainbow trout, *Salmo gairdneri*
P.-E. Olsson, M. Zafarullah, R. Foster, T. Hamor and L. Gedamu 229–235

Ontogeny and perinatal modulation of gene expression in rat brown adipose tissue – Unaltered iodothyronine 5′-deiodinase activity is necessary for the response to environmental temperature at birth
M. Giralt, I. Martin, R. Iglesias, O. Viñas, F. Villarroya and T. Mampel 297–302

Phosphorylation-mediated changes in the electrophoretic mobility of CD5 molecules
F. Lozano, J. Alberola-Ila, L. Places, T. Gallart and J. Vives 469–477

M-phase-specific cdc2 protein kinase phosphorylates the β subunit of casein kinase II and increases casein kinase II activity
O. Mulner-Lorillon, P. Cormier, J.-C. Labbé, M. Dorée, R. Poulhe, H. Osborne and R. Belle 529–534

Indexed in *Current Contents*